

RECEIVED

NOV 0 3 2004

Technology Center 2600

Docket No.: 218049US90

OBLON
SPIVAK
MCCLELLAND
MAIER
&
NEUSTADT
P.C.

ATTORNEYS AT LAW

BRADLEY D. LYTLE (703) 412-6489 BLYTLE@OBLON.COM

COMMISSIONER FOR PATENTS ALEXANDRIA, VIRGINIA 22313

RE: Application Serial No.: 10/041,748

Applicants: Koji SASADA Filing Date: January 10, 2002

For: LOCATION REGISTER, LOCATION

REGISTRATION SYSTEM, AND LOCATION

REGISTRATION METHOD

Group Art Unit: 2686

Examiner: KHAWAR IQBAL

SIR:

Attached hereto for filing are the following papers:

Request for Reconsideration

Our check in the amount of \$0.00 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 C.F.R. 1.136 for the necessary extension of time. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C.

Bradley D. Lytle

Registration No. 49,073

Customer Number

22850

(703) 413-3000 (phone) (703) 413-2220 (fax) Scott A. McKeown Registration No. 42,866 OTPE 2004

RECEIVED

NOV 0 3 2004

Technology Center 2600

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF

DOCKET NO: 218049US90

KOJI SASADA : EXAMINER: IQBAL, KHWAR

SERIAL NO: 10/041,748

FILED: JANUARY 10, 2002 : GROUP ART UNIT: 2686

FOR: LOCATION REGISTER,

LOCATION REGISTRATION SYSTEM, AND LOCATION REGISTRATION

METHOD

REQUEST FOR RECONSIDERATION

COMMISSIONER FOR PATENTS ALEXANDRIA, VIRGINIA 22313

SIR:

In response to the Office Action dated August 2, 2004, Applicants seek reconsideration of the allowability of the above-identified application as follows:

Remarks/Arguments begin on page 2 of this paper.